



WALSTON HEALTH SERVICES



6164 Fuller Court Alexandria, VA 22310

SNAP-IV 26-Item Teacher and Parent Rating Scale

Patient/Client Name: _____ Date of Birth: _____

Gender: _____ Grade: _____ Type of class: _____ Class size: _____

Completed by: _____ Date: _____

Physician Name: _____


For each item, check the column which best describes this child/adolescent:

	Not at all	Just a little	Quite a bit	Very much
1. Often fails to give close attention to details or makes careless mistakes in schoolwork or tasks				
2. Often has difficulty sustaining attention in tasks or play activities				
3. Often does not seem to listen when spoken to directly				
4. Often does not follow through on instructions and fails to finish schoolwork, chores, or duties				
5. Often has difficulty organizing tasks and activities				
6. Often avoids, dislikes, or reluctantly engages in tasks requiring sustained mental effort				
7. Often loses things necessary for activities (e.g., toys, school assignments, pencils, or books)				
8. Often is distracted by extraneous stimuli				
9. Often is forgetful in daily activities				
10. Often fidgets with hands or feet or squirms in seat				
11. Often leaves seat in classroom or in other situations in which remaining seated is expected				
12. Often runs about or climbs excessively in situations in which it is inappropriate				
13. Often has difficulty playing or engaging in leisure activities quietly				
14. Often is "on the go" or often acts as if "driven by a motor"				
15. Often talks excessively				
16. Often blurts out answers before questions have been completed				
17. Often has difficulty awaiting turn				
18. Often interrupts or intrudes on others (e.g., butts into conversations/games)				
19. Often loses temper				
20. Often argues with adults				
21. Often actively defies or refuses adult requests or rules				
22. Often deliberately does things that annoy other people				
23. Often blames others for his or her mistakes or misbehavior				
24. Often is touchy or easily annoyed by others				
25. Often is angry and resentful				
26. Often is spiteful or vindictive				

THE MOOD DISORDER QUESTIONNAIRE

Instructions: Please answer each question to the best of your ability.

	YES	NO
1. Has there ever been a period of time when you were not your usual self and...		
...you felt so good or so hyper that other people thought you were not your normal self or you were so hyper that you got into trouble?	<input type="radio"/>	<input type="radio"/>
...you were so irritable that you shouted at people or started fights or arguments?	<input type="radio"/>	<input type="radio"/>
...you felt much more self-confident than usual?	<input type="radio"/>	<input type="radio"/>
...you got much less sleep than usual and found you didn't really miss it?	<input type="radio"/>	<input type="radio"/>
...you were much more talkative or spoke much faster than usual?	<input type="radio"/>	<input type="radio"/>
...thoughts raced through your head or you couldn't slow your mind down?	<input type="radio"/>	<input type="radio"/>
...you were so easily distracted by things around you that you had trouble concentrating or staying on track?	<input type="radio"/>	<input type="radio"/>
...you had much more energy than usual?	<input type="radio"/>	<input type="radio"/>
...you were much more active or did many more things than usual?	<input type="radio"/>	<input type="radio"/>
...you were much more social or outgoing than usual, for example, you telephoned friends in the middle of the night?	<input type="radio"/>	<input type="radio"/>
...you were much more interested in sex than usual?	<input type="radio"/>	<input type="radio"/>
...you did things that were unusual for you or that other people might have thought were excessive, foolish, or risky?	<input type="radio"/>	<input type="radio"/>
...spending money got you or your family into trouble?	<input type="radio"/>	<input type="radio"/>
2. If you checked YES to more than one of the above, have several of these ever happened during the same period of time?	<input type="radio"/>	<input type="radio"/>
3. How much of a problem did any of these cause you – like being unable to work; having family, money or legal troubles; getting into arguments or fights? <i>Please circle one response only.</i>		
No Problem Minor Problem Moderate Problem Serious Problem		
4. Have any of your blood relatives (i.e. children, siblings, parents, grandparents, aunts, uncles) had manic-depressive illness or bipolar disorder?	<input type="radio"/>	<input type="radio"/>
5. Has a health professional ever told you that you have manic-depressive illness or bipolar disorder?	<input type="radio"/>	<input type="radio"/>



RCADS

NHS ID:

Child/ Young Person's NAME:

Date: / / 20

Time: h m

Please put a circle around the word that shows how often each of these things happens to you.
There are no right or wrong answers.

1	I worry about things	Never	Sometimes	Often	Always
2	I feel sad or empty	Never	Sometimes	Often	Always
3	When I have a problem, I get a funny feeling in my stomach	Never	Sometimes	Often	Always
4	I worry when I think I have done poorly at something	Never	Sometimes	Often	Always
5	I would feel afraid of being on my own at home	Never	Sometimes	Often	Always

6	Nothing is much fun anymore	Never	Sometimes	Often	Always
7	I feel scared when I have to take a test	Never	Sometimes	Often	Always
8	I feel worried when I think someone is angry with me	Never	Sometimes	Often	Always
9	I worry about being away from my parent	Never	Sometimes	Often	Always
10	I am bothered by bad or silly thoughts or pictures in my mind	Never	Sometimes	Often	Always

11	I have trouble sleeping	Never	Sometimes	Often	Always
12	I worry that I will do badly at my school work	Never	Sometimes	Often	Always
13	I worry that something awful will happen to someone in my family	Never	Sometimes	Often	Always
14	I suddenly feel as if I can't breathe when there is no reason for this	Never	Sometimes	Often	Always
15	I have problems with my appetite	Never	Sometimes	Often	Always

16	I have to keep checking that I have done things right (like the switch is off, or the door is locked)	Never	Sometimes	Often	Always
17	I feel scared if I have to sleep on my own	Never	Sometimes	Often	Always
18	I have trouble going to school in the mornings because I feel nervous or afraid	Never	Sometimes	Often	Always
19	I have no energy for things	Never	Sometimes	Often	Always
20	I worry I might look foolish	Never	Sometimes	Often	Always

21	I am tired a lot	Never	Sometimes	Often	Always
22	I worry that bad things will happen to me	Never	Sometimes	Often	Always
23	I can't seem to get bad or silly thoughts out of my head	Never	Sometimes	Often	Always
24	When I have a problem, my heart beats really fast	Never	Sometimes	Often	Always
25	I cannot think clearly	Never	Sometimes	Often	Always

26	I suddenly start to tremble or shake when there is no reason for this	Never	Sometimes	Often	Always
27	I worry that something bad will happen to me	Never	Sometimes	Often	Always
28	When I have a problem, I feel shaky	Never	Sometimes	Often	Always
29	I feel worthless	Never	Sometimes	Often	Always
30	I worry about making mistakes	Never	Sometimes	Often	Always

31	I have to think of special thoughts (like numbers or words) to stop bad things from happening	Never	Sometimes	Often	Always
32	I worry what other people think of me	Never	Sometimes	Often	Always
33	I am afraid of being in crowded places (like shopping centers, the movies, buses, busy playgrounds)	Never	Sometimes	Often	Always
34	All of a sudden I feel really scared for no reason at all	Never	Sometimes	Often	Always
35	I worry about what is going to happen	Never	Sometimes	Often	Always

36	I suddenly become dizzy or faint when there is no reason for this	Never	Sometimes	Often	Always
37	I think about death	Never	Sometimes	Often	Always
38	I feel afraid if I have to talk in front of my class	Never	Sometimes	Often	Always
39	My heart suddenly starts to beat too quickly for no reason	Never	Sometimes	Often	Always
40	I feel like I don't want to move	Never	Sometimes	Often	Always

41	I worry that I will suddenly get a scared feeling when there is nothing to be afraid of	Never	Sometimes	Often	Always
42	I have to do some things over and over again (like washing my hands, cleaning or putting things in a certain order)	Never	Sometimes	Often	Always
43	I feel afraid that I will make a fool of myself in front of people	Never	Sometimes	Often	Always
44	I have to do some things in just the right way to stop bad things from happening	Never	Sometimes	Often	Always
45	I worry when I go to bed at night	Never	Sometimes	Often	Always
46	I would feel scared if I had to stay away from home overnight	Never	Sometimes	Often	Always
47	I feel restless	Never	Sometimes	Often	Always



WALSTON HEALTH SERVICES



6164 Fuller Court Alexandria, VA 22310

Beck's Depression Inventory

Name: _____ Date of Birth: _____ Current Date: _____

This depression inventory can be self-scored. The scoring scale is at the end of the questionnaire.

1. 0 I do not feel sad.
1 I feel sad
2 I am sad all the time and I cannot snap out of it.
3 I am so sad and unhappy that I cannot stand it.

2. 0 I am not particularly discouraged about the future.
1 I feel discouraged about the future.
2 I feel I have nothing to look forward to.
3 I feel the future is hopeless and that things cannot improve.

3. 0 I do not feel like a failure.
1 I feel I have failed more than the average person.
2 As I look back on my life, all I can see is a lot of failures.
3 I feel I am a complete failure as a person.

4. 0 I get as much satisfaction out of things as I used to.
1 I do not enjoy things the way I used to.
2 I do not get real satisfaction out of anything anymore.
3 I am dissatisfied or bored with everything.

5. 0 I do not feel particularly guilty
1 I feel guilty a good part of the time.
2 I feel quite guilty most of the time.
3 I feel guilty all of the time.

6. 0 I do not feel I am being punished.
1 I feel I may be punished.
2 I expect to be punished.
3 I feel I am being punished.

7. 0 I do not feel disappointed in myself.
1 I am disappointed in myself.
2 I am disgusted with myself.
3 I hate myself.

8. 0 I do not feel I am any worse than anybody else.
1 I am critical of myself for my weaknesses or mistakes.
2 I blame myself all the time for my faults.
3 I blame myself for everything bad that happens.



WALSTON HEALTH SERVICES



6164 Fuller Court Alexandria, VA 22310

9. 0 I do not have any thoughts of killing myself.
1 I have thoughts of killing myself, but I would not carry them out.
2 I would like to kill myself.
3 I would kill myself if I had the chance.

10. 0 I do not cry any more than usual.
1 I cry more now than I used to.
2 I cry all the time now.
3 I used to be able to cry, but now I cannot cry even though I want to.

11. 0 I am no more irritated by things than I ever was.
1 I am slightly more irritated now than usual.
2 I am quite annoyed or irritated a good deal of the time.
3 I feel irritated all the time.

12. 0 I have not lost interest in other people.
1 I am less interested in other people than I used to be.
2 I have lost most of my interest in other people.
3 I have lost all of my interest in other people.

13. 0 I make decisions about as well as I ever could.
1 I put off making decisions more than I used to.
2 I have greater difficulty in making decisions more than I used to.
3 I cannot make decisions at all anymore.

14. 0 I do not feel that I look any worse than I used to.
1 I am worried that I am looking old or unattractive.
2 I feel there are permanent changes in my appearance that make me look unattractive
3 I believe that I look ugly.

15. 0 I can work about as well as before.
1 It takes an extra effort to get started at doing something.
2 I have to push myself extremely hard to do anything.
3 I cannot do any work at all.

16. 0 I can sleep as well as usual.
1 I do not sleep as well as I used to.
2 I wake up 1-2 hours earlier than usual and find it hard to get back to sleep.
3 I wake up several hours earlier than I used to and cannot get back to sleep.

17. 0 I do not get more tired than usual.
1 I get tired more easily than I used to.
2 I get tired from doing almost anything.
3 I am too tired to do anything.



- 18. 0 My appetite is no worse than usual.
 - 1 My appetite is not as good as it used to be.
 - 2 My appetite is much worse now.
 - 3 I have no appetite at all anymore.

- 19. 0 I have not lost much weight, if any, lately.
 - 1 I have lost more than five pounds.
 - 2 I have lost more than ten pounds.
 - 3 I have lost more than fifteen pounds.

- 20. 0 I am no more worried about my health than usual.
 - 1 I am worried about physical problems like aches, pains, upset stomach, or constipation.
 - 2 I am very worried about physical problems and it's hard to think of much else.
 - 3 I am so worried about my physical problems that I cannot think of anything else.

- 21. 0 I have not noticed any recent change in my interest in sex.
 - 1 I am less interested in sex than I used to be.
 - 2 I have almost no interest in sex.
 - 3 I have lost interest in sex completely.

INTERPRETING THE BECK DEPRESSION INVENTORY

Now that you have completed the questionnaire, add up the score for each of the twenty-one questions by counting the number to the right of each question you marked. The highest possible total for the whole test would be sixty-three. This would mean you circled number three on all twenty-one questions. Since the lowest possible score for each question is zero, the lowest possible score for the test would be zero. This would mean you circles zero on each question. You can evaluate your depression according to the Table below.

Total Score _____	Levels of Depression
1-10 _____	These ups and downs are considered normal
11-16 _____	Mild mood disturbance
17-20 _____	Borderline clinical depression
21-30 _____	Moderate depression
31-40 _____	Severe depression
over 40 _____	Extreme depression